

Spændingshovedpine: Basale and kliniske aspekter

Relevante publikationer:

Variables associated with sleep quality in chronic tension-type headache: A cross-sectional and longitudinal design.

Benito-González E, Palacios-Ceña M, Fernández-Muñoz JJ, Castaldo M, Wang K, Catena A, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

PLoS One. 2018 May 17;13(5):e0197381. doi: 10.1371/journal.pone.0197381. eCollection 2018.

The burden of headache is associated to pain interference, depression and headache duration in chronic tension type headache: a 1-year longitudinal study.

Fuensalida-Novo S, Palacios-Ceña M, Fernández-Muñoz JJ, Castaldo M, Wang K, Catena A, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

J Headache Pain. 2017 Dec 28;18(1):119. doi: 10.1186/s10194-017-0829-8.

Improving understanding of trigger points and widespread pressure pain sensitivity in tension-type headache patients: clinical implications.

Fernández-De-Las-Peñas C, Arendt-Nielsen L.

Expert Rev Neurother. 2017 Sep;17(9):933-939. doi: 10.1080/14737175.2017.1359088. Epub 2017 Jul 26.

Assessment of deep dynamic mechanical sensitivity in individuals with tension-type headache: The dynamic pressure algometry.

Palacios-Ceña M, Wang K, Castaldo M, Guerrero-Peral Á, Caminero AB, Fernández-de-Las-Peñas C, Arendt-Nielsen L.

Eur J Pain. 2017 Sep;21(8):1451-1460. doi: 10.1002/ejp.1065. Epub 2017 Jun 2.

Identification of subgroups of patients with tension type headache with higher widespread pressure pain hyperalgesia.

Fernández-de-Las-Peñas C, Benito-González E, Palacios-Ceña M, Wang K, Castaldo M, Arendt-Nielsen L.

J Headache Pain. 2017 Dec;18(1):43. doi: 10.1186/s10194-017-0751-0. Epub 2017 Apr 11.

Relationship of active trigger points with related disability and anxiety in people with tension-type headache.

Palacios-Ceña M, Castaldo M, Wang K, Catena A, Torelli P, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

Medicine (Baltimore). 2017 Mar;96(13):e6548. doi: 10.1097/MD.0000000000006548.

Topographical Pressure Pain Sensitivity Maps of the Temporalis Muscle in People with Frequent Episodic and Chronic Tension-Type Headache.

Palacios Ceña M, Castaldo M, Wang K, Madeleine P, Guerrero ÁL, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

Pain Pract. 2017 Nov;17(8):1050-1057. doi: 10.1111/papr.12565. Epub 2017 Mar 17.

The association of headache frequency with pain interference and the burden of disease is mediated by depression and sleep quality, but not anxiety, in chronic tension type headache.

Palacios-Ceña M, Fernández-Muñoz JJ, Castaldo M, Wang K, Guerrero-Peral Á, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

J Headache Pain. 2017 Dec;18(1):19. doi: 10.1186/s10194-017-0730-5. Epub 2017 Feb 10.

Trigger points are associated with widespread pressure pain sensitivity in people with tension-type headache.

Palacios-Ceña M, Wang K, Castaldo M, Guillem-Mesado A, Ordás-Bandera C, Arendt-Nielsen L, Fernández-de-Las-Peñas C.

Cephalalgia. 2018 Feb;38(2):237-245. doi: 10.1177/0333102416679965. Epub 2016 Nov 14.

Widespread Pressure Pain Hypersensitivity Is Similar in Women With Frequent Episodic and Chronic Tension-Type Headache: A Blinded Case-Control Study.

Palacios Ceña M, Castaldo M, Kelun Wang, Torelli P, Pillastrini P, Fernández-de-Las-Peñas C, Arendt-Nielsen L.

Headache. 2017 Feb;57(2):217-225. doi: 10.1111/head.12982. Epub 2016 Nov 11.

Muscle Triggers as a Possible Source of Pain in a Subgroup of Tension-type Headache Patients?

Arendt-Nielsen L, Castaldo M, Mechelli F, Fernández-de-Las-Peñas C.

Clin J Pain. 2016 Aug;32(8):711-8. doi: 10.1097/AJP.0000000000000318. Review.

Headache: muscle tension, trigger points and referred pain.

Arendt-Nielsen L.

Int J Clin Pract Suppl. 2015 May;(182):8-12. doi: 10.1111/ijcp.12651. Review.

Referred pain areas of active myofascial trigger points in head, neck, and shoulder muscles, in chronic tension type headache.

Fernández-de-Las-Peñas C, Ge HY, Alonso-Blanco C, González-Iglesias J, Arendt-Nielsen L.

J Bodyw Mov Ther. 2010 Oct;14(4):391-6. doi: 10.1016/j.jbmt.2009.06.008. Epub 2009 Aug 3.

Blink reflexes in chronic tension-type headache patients and healthy controls.

Peddireddy A, Wang K, Svensson P, Arendt-Nielsen L.

Clin Neurophysiol. 2009 Sep;120(9):1711-6. doi: 10.1016/j.clinph.2009.06.024. Epub 2009 Jul 24.

Multiple active myofascial trigger points and pressure pain sensitivity maps in the temporalis muscle are related in women with chronic tension type headache.

Fernández-de-las-Peñas C, Caminero AB, Madeleine P, Guillem-Mesado A, Ge HY, Arendt-Nielsen L, Pareja JA.

Clin J Pain. 2009 Jul-Aug;25(6):506-12. doi: 10.1097/AJP.0b013e3181a08747.

Generalized neck-shoulder hyperalgesia in chronic tension-type headache and unilateral migraine assessed by pressure pain sensitivity topographical maps of the trapezius muscle.

Fernández-de-las-Peñas C, Madeleine P, Caminero AB, Cuadrado ML, Arendt-Nielsen L, Pareja JA.

Cephalalgia. 2010 Jan;30(1):77-86. doi: 10.1111/j.1468-2982.2009.01901.x.

Stretch reflex and pressure pain thresholds in chronic tension-type headache patients and healthy controls.

Peddireddy A, Wang K, Svensson P, Arendt-Nielsen L.

Cephalalgia. 2009 May;29(5):556-65. doi: 10.1111/j.1468-2982.2008.01772.x. Epub 2009 Jan 16.

Abnormal pain processing in chronic tension-type headache: a high-density EEG brain mapping study.

Buchgreitz L, Egsgaard LL, Jensen R, Arendt-Nielsen L, Bendtsen L.
Brain. 2008 Dec;131(Pt 12):3232-8. doi: 10.1093/brain/awn199. Epub 2008 Aug 30.

Cervical muscle co-activation in isometric contractions is enhanced in chronic tension-type headache patients.

Fernández-de-las-Peñas C, Falla D, Arendt-Nielsen L, Farina D.
Cephalalgia. 2008 Jul;28(7):744-51. doi: 10.1111/j.1468-2982.2008.01584.x. Epub 2008 May 5.

Bilateral pressure pain sensitivity mapping of the temporalis muscle in chronic tension-type headache.

Fernández-de-las-Peñas C, Ge HY, Cuadrado ML, Madeleine P, Pareja JA, Arendt-Nielsen L.
Headache. 2008 Jul;48(7):1067-75. doi: 10.1111/j.1526-4610.2007.01005.x. Epub 2007 Dec 28.

Association of cross-sectional area of the rectus capitis posterior minor muscle with active trigger points in chronic tension-type headache: a pilot study. Fernández-de-Las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Ge HY, Pareja JA. Am J Phys Med Rehabil. 2008 Mar;87(3):197-203. doi: 10.1097/PHM.0b013e3181619766.

The local and referred pain from myofascial trigger points in the temporalis muscle contributes to pain profile in chronic tension-type headache.

Fernández-de-Las-Peñas C, Ge HY, Arendt-Nielsen L, Cuadrado ML, Pareja JA.
Clin J Pain. 2007 Nov-Dec;23(9):786-92.

Increased pericranial tenderness, decreased pressure pain threshold, and headache clinical parameters in chronic tension-type headache patients.

Fernández-de-Las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Ge HY, Pareja JA.
Clin J Pain. 2007 May;23(4):346-52.

Effect of acupuncture-like electrical stimulation on chronic tension-type headache: a randomized, double-blinded, placebo-controlled trial.

Wang K, Svensson P, Arendt-Nielsen L.
Clin J Pain. 2007 May;23(4):316-22.

Myofascial trigger points and sensitization: an updated pain model for tension-type headache.

Fernández-de-las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Simons DG, Pareja JA.
Cephalalgia. 2007 May;27(5):383-93. Epub 2007 Mar 14. Review.

Referred pain from trapezius muscle trigger points shares similar characteristics with chronic tension type headache.

Fernández-de-Las-Peñas C, Ge HY, Arendt-Nielsen L, Cuadrado ML, Pareja JA.
Eur J Pain. 2007 May;11(4):475-82. Epub 2006 Aug 21.

Exteroceptive suppression of temporal muscle activity is normal in chronic tension-type headache and not related to actual headache state.

Bendtsen L, Jensen R, Brennum J, Arendt-Nielsen L, Olesen J.
Cephalalgia. 1996 Jun;16(4):251-6.

Exteroceptive suppression periods in jaw-closing muscles. Variability and relation to experimental pain and sustained muscle contraction.

Bendtsen L, Jensen R, Brennum J, Arendt-Nielsen L, Olesen J.
Cephalalgia. 1993 Jun;13(3):184-91; discussion 149-50.

Association of cross-sectional area of the rectus capitis posterior minor muscle with active trigger points in chronic tension-type headache: a pilot study.

Fernández-de-Las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Ge HY, Pareja JA.

Am J Phys Med Rehabil. 2008 Mar;87(3):197-203. doi: 10.1097/PHM.0b013e3181619766.

The local and referred pain from myofascial trigger points in the temporalis muscle contributes to pain profile in chronic tension-type headache.

Fernández-de-Las-Peñas C, Ge HY, Arendt-Nielsen L, Cuadrado ML, Pareja JA.

Clin J Pain. 2007 Nov-Dec;23(9):786-92.

Increased pericranial tenderness, decreased pressure pain threshold, and headache clinical parameters in chronic tension-type headache patients.

Fernández-de-Las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Ge HY, Pareja JA.

Clin J Pain. 2007 May;23(4):346-52.

Effect of acupuncture-like electrical stimulation on chronic tension-type headache: a randomized, double-blinded, placebo-controlled trial.

Wang K, Svensson P, Arendt-Nielsen L.

Clin J Pain. 2007 May;23(4):316-22.

Myofascial trigger points and sensitization: an updated pain model for tension-type headache.

Fernández-de-las-Peñas C, Cuadrado ML, Arendt-Nielsen L, Simons DG, Pareja JA.

Cephalalgia. 2007 May;27(5):383-93. Epub 2007 Mar 14. Review.

Referred pain from trapezius muscle trigger points shares similar characteristics with chronic tension type headache.

Fernández-de-Las-Peñas C, Ge HY, Arendt-Nielsen L, Cuadrado ML, Pareja JA.

Eur J Pain. 2007 May;11(4):475-82. Epub 2006 Aug 21.

Exteroceptive suppression of temporal muscle activity is normal in chronic tension-type headache and not related to actual headache state.

Bendtsen L, Jensen R, Brennum J, Arendt-Nielsen L, Olesen J.

Cephalalgia. 1996 Jun;16(4):251-6.

Exteroceptive suppression periods in jaw-closing muscles. Variability and relation to experimental pain and sustained muscle contraction.

Bendtsen L, Jensen R, Brennum J, Arendt-Nielsen L, Olesen J.

Cephalalgia. 1993 Jun;13(3):184-91; discussion 149-50.